



SWEEPERS - RIDE ON

1280

MAX PRODUCTIVITY

7800 m²/h

MAIN BRUSH PATH

680 mm

VOLTAGE SYSTEM

12-24 v



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DUAL
POWER



DBL™
DOUBLE
BATTERY
LIFE



SERVICE
MENU

SPECS



HOPPER PNEUMATIC
DISCARGHE SYSTEM



PLEATED FILTER



BATTERY BOX

TECHNICAL DATA

| | | 1280 E | 1280 DP-P | 1280 P | 1280 D |
|--------------------------------|-------------------|-----------------|-----------------|-----------------|-----------------|
| Code | | MSUB00609 | MSUB00617 | MSUB00613 | MSUB00624 |
| PERFORMANCE | | | | | |
| Main brush cleaning path width | mm | 680 | 680 | 680 | 680 |
| Side brush cleaning path width | mm | 1200 | 1200 | 1150 | 1150 |
| Max theoretical productivity | m ² /h | 7800 | 7800 | 7475 | 7475 |
| Voltage | V-Ah | 24 | 24 | 12 | 12 |
| Installed power | W /HP | 1530 W | 1530 W | 4,5 Hp | 4,7 Hp |
| Hopper capacity | l | 67 | 67 | 67 | 67 |
| Hopper Discarghe System | Type/mm | Hydraulic -1420 | Hydraulic -1420 | Hydraulic -1420 | Hydraulic -1420 |
| Filtering surface | m ² | 1,8 | 1,8 | 1,8 | 1,8 |
| Fylter type | | Pleated | Pleated | Pleated | Pleated |
| Max speed | km/h | 6 | 6 | 6,2 | 6,2 |
| Max Climb | % | 12 | 12 | 12 | 12 |
| Weight whitout batteries | kg | 336 | 379 | 344 | 444 |
| Dimension (LxWxH) | mm | 1615x905x1210 | 1615x905x1210 | 1615x905x1210 | 1615x905x1210 |

STANDARD ACCESSORIES

| | 1280 E | 1280 DP-P | 1280 P | 1280 D |
|----------------|-----------|-----------|-----------|-----------|
| BRUSHES | | | | |
| MAIN BRUSH | SPPV75791 | SPPV75791 | SPPV75791 | SPPV75791 |
| SIDE BRUSH | SPPV00018 | SPPV00018 | SPPV00018 | SPPV00018 |
| FILTERS | | | | |
| FILTER | FTDP00214 | FTDP00214 | FTDP00214 | FTDP00214 |

OPTIONAL ACCESSORIES

| | | | | |
|--|--|---|---|--|
| CODE: KTRI02279 FRONT BUMPER KIT | CODE: KTRI02280 FRONT LIGHT KIT (FOR 1280 E - 1280 DP-P) | CODE: KTRI05056 FRONT LIGHT KIT (FOR 1280 P - 1280 D) | CODE: KTRI04766 NON-MARKING FLAPS | CODE: KTRI02348 NON-MARKING WHEELS |
| CODE: KTRI02342 250 AH C5 BATTERY LOCKING SYSTEM | | | | |

BATTERIES AND BATTERY CHARGERS

| BATTERIES | N° | CHARACTERISTIC | DIMENSION | RUNNING TIME | BATTERY CHARGERS |
|--|----|----------------|-------------|--------------|---|
| IPC gel battery BAAC00106 | 4 | 6V 180 Ah (C5) | 244X192X275 | 180 | Stand alone high frequency BLS020 - BACA00134 |
| EXIDE gel battery BAAC00026 | 4 | 6V 180 Ah (C5) | 246X192X275 | 170 | Stand alone high frequency BLS020 - BACA00134 |
| Acid tubolar plate BAAC00074 | 4 | 6V 185 Ah (C5) | 240X190X275 | 175 | Stand alone high frequency BLS020 - BACA00134 |
| GEL battery * BAAC00108 | 4 | 6V 222 Ah (C5) | 305X180X365 | 270 | Stand alone high frequency BLS020 - BACA00134 |
| RECOMMENDED WITH KTRI02342 EXIDE gel battery * BAAC00017 | 4 | 6V 222 Ah (C5) | 311X183X358 | 250 | Stand alone high frequency BLS020 - BACA00134 |
| Acid tubolar plate battery BAAC00136 | 2 | 12V 85 Ah (C5) | 308x175x225 | 60 | Stand alone high frequency BLS010 - BACA00133 |

RECOMMENDED BATTERIES AND BATTERY CHARGERS

IP Cleaning S.p.A.

Viale Treviso 63 - 30026 Summaga di Portogruaro (VE) - Italy
Tel. +39 0421 205511 - Fax +39 0421 204227 - info@ipcworldwide.com - www.ipcworldwide.com

