



SCRUBBER DRIERS - WALK BEHIND

NEW

CT71

MAX PRODUCTIVITY

Up to
3150 m²/h

**BATTERIES
RUNNING TIME**

3,5 h standard

**WATER TANK
RUNNING TIME**

Up to **75'**
working session



MEMORY CARD



TELEMATICS GPS (opt)

GEOLOCATION OF
ALL YOUR MACHINES



ANC
ADVANCE NOISE CONTROL
54 dB
IN ECO SELECT MODE



ONE BRUSH VERSION



ROLLER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



INTER-
CHANGEABLE
BRUSH
HEAD



MEMORY
CARD



SLST™
SELF
LEVELING
SYSTEM



TELEMATICS
GPS



ANC™
ADVANCED
NOISE
CONTROL



ECO
SELECT



DBL™
DOUBLE
BATTERY
LIFE


SPECS



ADJUSTABLE HANDLE FOR
A COMFORTABLE AND EASY
USE.



FULL MACHINE CONTROL
THANKS TO AN INTUITIVE
CENTRAL KNOB.



EASY ACCESS NO TOOLS

TECHNICAL DATA

		NO TRACTION		WITH TRACTION	
		CT71 B55 LPTB01855	CT71 BT55 LPTB01856	CT71 BT60 LPTB02919	CT71 BT70 LPTB01857
Code					
PERFORMANCE					
Max theoretical productivity	m ² /h	2000	2475	2700	3150
Cleaning path	mm	550	550	600	700
Water tank capacity (solution recovery)	l	70/70	70/70	70/70	70/70
Max running time	min	210	210	210	210
Voltage	V-Ah	24	24	24	24
Installed power	W	1050	1550	1550	1550
Brush pressure	kg	18	18	23	23
Squeegee width	mm	815	815	1010	1010
Max speed	km/h	3,5	4,2	4,2	4,2
Weight	kg	91,5	92	95	99
Dimension (LxWxH)	mm	1327x563x1033	1327x563x1033	1279x653x1033	1297x753x1033

STANDARD EQUIPMENT

	CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70
BRUSHES				
PPL soft	SPPV01352	SPPV01352	SPPV01473	SPPV01472
SQUEEGEE BLADES				
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR06288 - 715mm	MPVR06288 - 715mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES & PAD HOLDER



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI04846
CHEM DOSE KIT



CODE: KTRI04847
SPLASH GUARD 55CM



CODE: KTRI05094
SPLASH GUARD 60CM



CODE: KTRI05095
SPLASH GUARD 70CM



CODE: KTRI04848
TOOLS BAR



CODE: KTRI04849
AUTO-REFILL SYSTEM



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI04851
BRUSH HEAD KIT
(55 VERSION)



CODE: KTRI04852
BRUSH HEAD KIT
(60 VERSION)




CODE: KTRI04853
BRUSH HEAD KIT
(70 VERSION)



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	210 min	DBL on board high freq. 24V 15 Ah- KTRI04845 DBL stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Dry charge flate plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Acid tubular plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060



TECHNICAL DATA

	CABLE			ROLLER
	CT71 XP60 LPTB02921	CT71 XP70 LPTB01858	CT71 XP55R LPTB02927	
Code				
PERFORMANCE				
Max theoretical productivity	m ² /h	2700	3150	2475
Cleaning path	mm	600	700	550
Water tank capacity (solution recovery)	l	70/70	70/70	70/70
Max running time	min	210	210	210
Voltage	V-Ah	24	24	24
Installed power	W	1550	1550	2350
Brush pressure	kg	31	31	18
Squeegee width	mm	1010	1010	815
Max speed	km/h	4,2	4,2	4,2
Weight	kg	96	99	104
Dimension (LxWxH)	mm	1279x653x1033	1297x753x1033	1288x640x1033

STANDARD EQUIPMENT

	CT71 XP60	CT71 XP70	CT71 XP55R
BRUSHES			
PPL soft	SPPV01473	SPPV01472	-
Cylindrical brush - PPL soft Ø 0,3 mm	-	-	SPPV01163
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR06288 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES & PAD HOLDER



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI04846
CHEM DOSE KIT



CODE: KTRI05094
SPLASH GUARD 60CM



CODE: KTRI05095
SPLASH GUARD 70CM



CODE: KTRI04848
TOOLS BAR



CODE: KTRI04849
AUTO-REFILL SYSTEM



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI04852
BRUSH HEAD KIT (60 VERSION)



CODE: KTRI04853
BRUSH HEAD KIT (70 VERSION)



CODE: KTRI04854
ROLLER BRUSH HEAD KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	210 min	DBL on board high freq. 24V 15 Ah- KTRI04845 DBL stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060