

ORBITAL FLOOR MACHINES All-purpose and user friendly





INDEX

How to use TPO Orbital Floor Machines	8 - 13
How to use TFO Orbital Floor Machines	14 - 21
How to use TOR Orbital Floor Machines	22 - 33
MODELS Index	34 - 35
Accessories	36 - 41
Chemicals	42





TMB, operating in the cleaning sector for over thirty years, produces commercial, professional and industrial vacuum cleaners, traditional and roto-orbital single disc machines and car wash equipment.

Within environments in which multiple daily activities are carried out (e.g. trade, industrial production, research, etc.) a positive value is attributed to general comfort, and the care and cleaning of floors.

TMB, aware of the daily use of cleaning tools (machines and detergent products) places waste the reduction and the undertaking of values such as ethics, consistency and sustainable development among its objectives.

This promotes a responsible use of resources and undertakes to reduce the environmental impact of the production process both during the usage cycle of the machines and for their disposal*.

To offer cleaning operators the tools to support this service with commitment, TMB, as a manufacturer of cleaning machines, constantly acts with responsible choices towards environmental sustainability.

The innovative **roto-orbital technology** is proposed in a diversified range of products, and has been developed to optimize work and offer advantages for a better future in which our well-being, in everyday life, is in harmony with the consumption of resources .

* TMB machines are easily disassembled for easy recycling of materials.





**COMPLIANCE WITH UNI EN ISO 5349-1: 2004 HAND-ARM SYSTEM OF THE ROTO-ORBITAL SINGLE DISC MACHINES TPO AND TOR.



TMB helps the environment



Low electrical consumption



Low water consumption



Low detergent consumption



High level of material recyclability



Reduced co₂ emissions



Saving on working time



Less fatiguing



Training savings



Safety (less risk of injury)



Reduced noise levels



Operating a traditional floor machine





Rotational movement of the traditional floor machine

Operating a traditional single disc floor machine requires an expert operator.

The brush or the disc does not cover the entire underlying surface, especially in lateral movements.

The contact surface with the floor is reduced only to the peripheral part of the brush/disc.

The machine uses the rotation of the brush/disc to move sideways and therefore the operator requires training and good physical strength.

The traditional machine requires different characteristics depending on the operation to be carried out on the floor:

- different brush/disc speeds
- different motor power outputs
- different weights



CLEANING

MAINTENANCE

POLISHING

TRADITIONAL SINGLE DISC MACHINE



Water and detergent is easily wasted with the use of a traditional single disc machine due to the centrifugal movement of the brush.




The cord can become entangled during cleaning operations thereby creating a hazard.



The traditional system requires a greater consumption of electricity. The operator requires more physical effort and more attention.





Why choose a single disc machine with roto-orbital system?

Two movements in one: roto-orbital

Simultaneous with the natural rotary movement of the disc, which can vary from 0 to 90 rpm, the system always generates a constant orbital movement that allows to pass very quickly over the same point many times

On surfaces such as hard floors, resilient floors, wood, resin and carpet floors, it creates rotational movements with a diameter of about 1 cm, with 1400 passes per minute. This guarantees an extraordinary and rapid scrubbing, polishing, crystallizing performance etc., etc.

The innovative orbital technology guarantees an intense and delicate cleaning.

Perfect adhesion to the surface

The working area is always constant and the brush/disc always remains level with respect to the surface, adhering perfectly.

Forward and backward movement and easy slewing

The action of the brush is effective during any easy swinging movement: forward and backward or side to side, staying flat on the surface at all times.

Less use of water and detergent.

Due to the orbital movement, water remains within the perimeter of the disc and will not be splashed around. Thanks to this technology the consumption of water and consequently that of detergent is drastically reduced.

Low energy consumption

Maximum absorption of 2.5-3 Ah.

A single machine for multiple functions

The roto-orbital system ensures that all operations are carried out on various types of floor thanks to its versatility and the availability of specific accessories that make the machine multi-purpose.

ADVANTAGES IN THE USE OF THE ROTO-ORBITAL SINGLE DISC MACHINE



It uses up to 1/10 the water of traditional single disc machines because the roto-orbital machine does not spray outwards.

MAINTENANCE

POLISHING

CLEANING

By reducing water consumption, the consumption of chemicals is automatically reduced.

Thus, work times and electricity consumption are reduced by around 40%.

less water less detergent less energy less manpower





TPO

TPO 43 is a new concept single disc machine using a roto-orbital movement which increases productivity compared with a traditional single disc machine. Ideal for daily cleaning, maintenance and heavy duty use.

TFO

TFO is a single disc machine particularly suited for heavy duty cleaning, and extremely useful for numerous applications. Ideal for cleaning and for all types of floor treatments.

TOR

TOR is a single disc machine particularly suitable for heavy duty cleaning thanks to the orbital movement which makes it versatile for many applications. Ideal for cleaning and for all floor treatments.



42 Kg Weight

Shockproof, acid-resistant structure, stainless steel support frame



50 Kg Weight

Stainless steel structure and support frame



OJ Kg Weight

Stainless steel structure




















TPO 43




TPO 43 SPRAY



42 Kg

TPO 43 and TPO 43 SPRAY exploit the principle of high frequency oscillations obtaining excellent stability, ease of use and great manoeuvrability, even for non-expert operators.

Ideal for scrubbing, polishing, de-waxing, crystallizing, restoring marble floors with diamond pads and scrubbing carpets.



RESET switch.



The water and solutions in use with TPO 43 and TPO 43 SPRAY are not dispersed and remain within the perimeter of the disc, reducing waste and resulting in considerable savings of water and detergent.

Furthermore, the characteristic orbital motion makes TPO 43 very easy to use by any operator, drastically reducing training times.

The low current absorption of these models allows simultaneous use with a vacuum cleaner, both powered by a standard domestic mains power supply.

TECHNICAL DATA		TPO 43	TPO 43 SPRAY
Drive		Direct Drive	Direct Drive
Working width	cm	43	43
Brush Ø	cm	43	43
Pad driver Ø	cm	43	43
Oscillations per minute	no.	1400	1400
Disc rotation speed	rpm	0-90	0-90
Power supply	V/Hz	230/50*	230/50*
Tank volume	1	15	15
Spray pump power	W	_	32
Pressure	bar	_	1,5
Nr. of spray nozzles	nr.	_	1
Motor power	W	1100	1100
Machine weight	Kg	42	43
Machine dimensions	mm	460x560x1200	460x560x1200

^{*}Also available in 120 V - 60 Hz







CARPET





Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad driver Suitable for heavy duty cleaning, maintenance cleaning and carpet cleaning.



Polyethylene with 15 liter capacity, graduated scale and closure cap. Tool free assembly.

Tank



3 flow types Flow control button for continuous, neutral or intermittent flow for Spray version models.







Spray Kit Included with Spray version models. Equipped with a pump, adjustable spray nozzle, and convenient switch on the handle.

Microfiber-polyester carpet pad. Ideal for scrubbing with the Bonnet system on heavily soiled carpet. Reversible and washable.

20" cotton disc for carpet Cotton pad ideal for maintenance cleaning. Reversible and machine washable.

Because of its size, the 20" cotton pad also cleans along the edges. It speeds up, and can be used on both sides.

ORBITAL FLOOR MACHINES TPO 43 | APPLICATIONS







Scrubbing



Smoothing



Crystallization

MARBLE





Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Microfibre pad For hard floors, parquet, ceramic and polished marble.



Natural fibre pad For polishing and crystallizing.



Full Velcro pad driver Suitable for heavy duty cleaning, maintenance cleaning and carpet cleaning.



20" cotton disc Cotton pad ideal for maintenance scrubbing and cleaning on floating floors. Reversible and washable.



Made of embossed rubber for use with steel wool in crystallization operations.

Pad driver for steel

wool



Nylon washing brush To scrub hard surfaces, with joints and uneven surfaces.



TMB MidPad in 5



TMB KRIS Marble Crystallizer for marble.



Polyethylene with 15 liter capacity, graduated scale and closure cap.

Tool free assembly.



different diamond grits: APP1 - APP2 - APP3 -APP4 - APP5. Ideal for re-smoothing and re-polishing.



TMB AM Universal anti-slip polish for marble, granite and ceramic.



Traditional abrasive pads For heavy duty cleaning, maintenance and polishing.



Brown DSWC special To de-wax all surfaces with water only.



TMB Gel Lux Marble Polishing Gel for marble.





Melamine pad To scrub hard, microporous, heavily soiled floors.



Polishing powder for marble.

TMB LUX MARBLE

Extra



TMB WRM Water repellent detergent Daily maintenance and final floor set up.









Scrubbing



Re-Smoothing



NATURAL STONE, CERAMICS



CONCRETE



TERRACOTTA, KLINKER





Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad driver Suitable for heavy duty cleaning, maintenance cleaning and carpet cleaning.



Traditional abrasive For heavy duty cleaning, maintenance and polishing.



Polyethylene with 15 liter capacity, graduated scale and closure cap. Tool free assembly.

Nylon washing brush

To scrub hard surfaces,

with joints and uneven

surfaces.



20" cotton disc Cotton pad ideal for maintenance scrubbing and cleaning on floating floors. Reversible and machine washable.



Brown DSWC special To de-wax all surfaces



different diamond gris: APP1 - APP2 - APP3 -APP4 - APP5. Ideal for re-smoothing and re-polishing.

TMB MidPad in 5



Melamine pad To scrub hard, microporous, heavily soiled floors.



with water only.



TMB WRM Water repellent detergent Daily maintenance and final floor set up.



Microfibre pad For hard floors, parquet, ceramic and polished marble.



Natural fibre pad For polishing and crystallizing.



TMB Gel Lux Granite Polishing Gel for granite-natural stone.

ORBITAL FLOOR MACHINES TPO 43 | APPLICATIONS







Scrubbing



Re-Smoothing



RESIN



PARQUET - WOOD FLOOR



LINOLEUM AND PVC





Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.





Melamine pad To scrub hard, microporous, heavily soiled floors.



20" cotton disc
Cotton pad ideal for
maintenance scrubbing
and cleaning on floating
floors. Reversible and
machine washable.



Tank
Polyethylene with 15
liter capacity, graduated
scale and closure cap.

Tool free assembly.

cleaning.



Traditional abrasive pads
For heavy duty cleaning, maintenance and polishing.



TMB MidPad in 5 different diamond grits: APP1 - APP2 - APP3 - APP4 -APP5. Ideal for scrubbing and polishing. For the daily maintenance of plastic flooring and possible use of APP4 and APP5 grits, with water only or with a detergent. Suitable also for floors protected



Nylon scrubbing brush To scrub hard surfaces, with joints and uneven surfaces.



Microfibre pad For hard floors, parquet, ceramic and polished marble.



Brown DSWC special To de-wax all surfaces with water only.

with metallized waxes.





Vacuum coupling Ø 32 mm.

Manual fitting of the vacuum coupling, Ø 32 mm or Ø 40 mm.

Optional side connection cuff for vacuum kit.

Vacuum coupling Ø 40 mm for connection to external vacuum cleaner.















TFO 43 - TFO 50

TFO 43 SPRAY - TFO 50 SPRAY

TFO 43 DS - TFO 50 DS







from 50 Kg to 56 Kg

TFO models benefit from the orbital mechanism to obtain optimal stability, ease of use and great maneuverability, even for non-expert operators.

TFO models with their weight of 50 kg and the option of connection to a vacuum unit, are suitable for a wider range of applications: dust-free sanding and restoration of wood floors, and reduced work times for smoothing and polishing marble.

Ideal for washing, polishing, dewaxing, crystallization and restoration of marble floors, and for carpet washing.

TFO has all the benefits of orbital technology, such as: energy saving, water and detergent saving, and significant reduction of labor costs.

TECHNICAL DATA		TFO 43	TFO 43 SPRAY	TFO 43 DS	TFO 50	TFO 50 SPRAY	TFO 50 DS
Drive		Direct Drive					
Working width	cm	43	43	43	50	50	50
Brush Ø	cm	43	43	43	50	50	50
Pad driver Ø	cm	43	43	43	50	50	50
Oscillations per minute	nr.	1400	1400	1400/2800	1400	1400	1400/2800
Disc rotation speed	rpm	0-90	0-90	0-90/180	0-90	0-90	0-90/180
Power supply	V/Hz	230/50*	230/50*	230/50*	230/50*	230/50*	230/50*
Tank volume	1	15	15	15	15	15	15
Spray pump power	W	_	32	_	_	32	_
Pressure	bar	_	1,5	_	_	1,5	_
Nr. of spray nozzles	nr.	_	1	_	_	1	_
Motor power	W	1100	1100	1100	1100	1100	1100
Machine weight	Kg	50	51	50	55	56	55
Machine dimensions	mm	450x635x1130	450x635x1130	450x635x1130	520x670x1130	520x670x1130	520x670x1130

^{*}Also available in 120 V - 60 Hz









Scrubbing



Re-Smoothing



Polishing

CONCRETE, CERAMICS, NATURAL STONE





Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad driver Suitable for heavy duty cleaning, maintenance cleaning and carpet cleaning.



liter capacity, graduated scale and closure cap. Tool free assembly.

Polyethylene with 15

Tank



Nylon washing brush To scrub hard surfaces, with joints and uneven surfaces.



pads For heavy duty cleaning, maintenance and polishing.

Traditional abrasive



Brown DSWC special To de-wax all surfaces with water only.





Microfibre pad For hard floors, parquet, ceramic and polished marble.



20" cotton disc Cotton pad ideal for maintenance scrubbing and cleaning on floating floors. Reversible and machine washable.



Natural fibre pad For polishing and crystallizing.



Melamine pad To scrub hard, microporous, heavily soiled floors.







TMB DryPad Diamond pad available in 8 different grits. Suitable for marble, terrazzo, concrete and with 6 to 8 grits also for dry work.



TMB Black Resin 00 Ceramic coated resinoid diamond disc Ø 100 mm, pack of 3 pcs.



TMB LITHIUM Silicates Concrete consolidator with Lithium silicates.



TMB Red Resin 0 Ceramic coated resinoid diamond disc \emptyset 100 mm, pack of



TMB SP Silicates Concrete consolidator with Sodium and Potassium silicates.



TMB Resin APP 1 Resinoid diamond disc Ø 100 mm, red velcro, pack of 3 pcs.



TMB LUX Nano-Lithium High-gloss super



resistant Lithium based concrete finish.



TMB Resin APP 2 Resinoid diamond disc Ø 100 mm, yellow velcro, pack of 3 pcs.



TMB Lux Lithium Lithium based concrete finish for high traffic



TMB Resin APP 3 Resinoid diamond disc \emptyset 100 mm, white velcro, pack of 3 pcs.



TMB Gel Lux Granite Polishing Gel for granite-natural stone.



TMB Resin APP 4 Resinoid diamond disc Ø 100 mm, blue velcro, pack of 3 pcs.



TMB GQ

GEL polish anti-slip for granite, concrete, quartz and natural stone.



TMB Resin APP 5 Resinoid diamond disc Ø 100 mm, grey velcro, pack of 3 pcs.



TMB WRM Water repellent detergent Daily maintenance and final floor set up.









CARPET




Reduced water consumption and faster carpet drying times, help prevent mold formation.



The fibers are cleaned and regenerated through vibration, and dirt particles are removed even from deep pile carpets.





Full Velcro pad driver

Suitable for heavy duty

cleaning, maintenance

cleaning and carpet

cleaning.



Tank
Polyethylene with 15
liter capacity, graduated
scale and closure cap.
Tool free assembly.



Pump for Spray version Uses a suction pipe with filter in the 15-liter solution tank and an adjustable nozzle.



3 flow types Flow control button for continuous, neutral or intermittent flow for Spray version models.





Microfiber-polyester

carpet pad. Ideal

for scrubbing with

the Bonnet system

on heavily soiled carpets. Reversible and



Cotton pad ideal for maintenance cleaning on floating floors. Reversible and machine washable.







Scrubbing



Levelling



Smoothing Re-Smoothing



Polishing Re-Polishing



Crystallization

MARBLE, GRANITE





Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad driver Suitable for heavy duty cleaning, maintenance cleaning and carpet cleaning.

Polyethylene with 15 liter capacity, graduated scale

and closure cap.
Tool free assembly.

Tank



Pad driver for steel wool Made of embossed rubber for use with steel wool in crystallization operations.



Traditional abrasive pads For heavy duty cleaning, maintenance and





Natural fibre pad For polishing and crystallizing.

polishing.

Microfibre pad For hard floors,



Brown DSWC special To de-wax all surfaces with water only.

Melamine pad



To scrub hard, microporous, heavily soiled floors.



20" cotton disc for Cotton pad ideal for maintenance scrubbing. Reversible and machine



washable.



Splash guard with velcro fastening.



ORBITAL FLOOR MACHINES TFO 43 - TFO 50 | APPLICATIONS



TMB DryPad in 8 different grits. Suitable for marble, terrazzo, concrete and with 6 to 8 grits also



TMB Resin APP 1 Resinoid diamond disc Ø 100 mm, red velcro, pack of 3 pcs.



TMB AM Gel - Univrsal anti-slip polish for marble, granite and ceramic.



Diamond pad available for dry work.



TMB Resin APP 2 Resinoid diamond disc Ø 100 mm, yellow velcro, pack of 3 pcs.



TMB GQ GEL polish - Anti-slip, for granite, concrete, quartz and natural stone.



TMB Resin APP 3 Resinoid diamond disc Ø 100 mm, white velcro, pack of 3 pcs.



TMB Gel Lux Granite Polishing Gel for granite - natural stone.



TMB Resin APP 4 Resinoid diamond disc Ø 100 mm, blue velcro, pack of 3 pcs.



TMB Gel Lux Marble Polishing Gel for marble.



TMB Black Resin 00 Ceramic coated resinoid diamond disc Ø 100 mm, pack of



TMB Resin APP 5 Resinoid diamond disc Ø 100 mm, grey velcro, pack of 3 pcs.



TMB LUX MARBLE Extra Polishing powder for marble.



TMB Red Resin 0 Ceramic coated resinoid diamond disc Ø 100 mm, pack of



TMB Lux Granite Polishing powder for granite-natural stone.





TMB KRIS Marble Crystallizer for marble.



TMB Impregnating Finish Marble-Granite Protective finishing polish.



TMB WRM Water repellent detergent Daily maintenance and final floor set up.



Dual Speed Switch Changes the orbital speed from 1400 to 2800 oscillations per minute, the correct speed for dry polishing and floor crystallization treatments.











Scrubbing



Polishing

PVC, LINOLEUM, WOOD AND PARQUET



TFO 43 with vacuum Kit



Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.







Polyethylene with 15 liter capacity, graduated scale and closure cap. Tool free assembly.



Melamine pad To scrub hard, microporous, heavily soiled floors.

Microfibre pad

marble.

For hard floors, parquet,

ceramic and polished




20" cotton disc for carpet Cotton pad ideal for maintenance scrubbing. Reversible and machine washable.







Brown DSWC special To de-wax all surfaces with water only.



Natural fibre pad

For polishing and

crystallizing.



TMB MidPad in 5 different diamond grits: APP1 - APP2 - APP3 - APP4 -APP5. Ideal for scrubbing and polishing. For the daily maintenance of plastic flooring and possible use of APP4 and APP5 grit, with water only or with a detergent. Suitable also for floors protected with metallized waxes.



connection with 6 mm Sandpaper disc with Zirconium and

3 holder disc Ø 150

use with Full velcro.

Male and female

mm for sandpaper and



cotton support, Ø 150 mm. Available in 5 different grits: 36, 60, 80, 100 e 120.



Pad driver for sandpaper.



Suction kit with vacuum cleaner, dust guard with bristles and vacuum coupling Ø 32 mm.



Dust guard with bristles and vacuum coupling Ø 40 mm.



ORBITAL FLOOR MACHINES TOR 43 EXTRA - TOR 50 EXTRA

TOR 43 EXTRA

TOR 43 EXTRA SPRAY

TOR 43 DS









from 65 Kg to 87 Kg

Quick release of the motor base from the chassis and quick release of the 17-kg weight. Quick disconnection of electrical system.

In addition to the features of TOR 43 EXTRA, it is equipped with a pump and 2 adjustable nozzles, a 3-position switch and a tank.

TOR 43 Duals Speed: the first speed is for washing, sanding, polishing and crystallization. The second speed greatly accelerates dry polishing and crystallization operations.







Pump for Extra Spray version Uses a suction pipe with filter in the 15-liter solution tank, and two adjustable nozzles.



TOR DS - Dual Speed Switch Changes the orbital speed from 1400 to 2800 oscillations per minute, the correct speed for dry polishing and floor crystallization treatments.



TOR 43 with vacuum kit



TOR 50 EXTRA









from 65 Kg to 87 Kg

KIT complete with support bracket, vacuum cleaner and nylon pre-filter, connection hose, connection hose and velcro dust guard with bristles. Ideal for parquet and concrete.



17 Kg Extra Weight For granite and concrete.

500 mm disc - Quick release of the motor base from the chassis, and quick release of the 17-kg weight. Quick disconnection of the electrical system.

In addition to the features of TOR 50 EXTRA, it is equipped with a pump and 2 adjustable nozzles, a 3-position switch and a tank. Ideal for cleaning carpets with microfiber disc.

TECHNICAL DATA		TOR 43 EXTRA	TOD 42 FYTDA CDDAY	TOR 43 DS	TOD FO EVEDA	TOD FO FYTDA CDDAY	TOR EA DC
TECHNICAL DATA			TOR 43 EXTRA SPRAY		TOR 50 EXTRA	TOR 50 EXTRA SPRAY	TOR 50 DS
Drive		Direct Drive	Direct Drive	Direct Drive	Direct Drive	Direct Drive	Direct Drive
Working width	cm	43	43	43	50	50	50
Brush Ø	cm	43	43	43	50	50	50
Pad driver Ø	cm	43	43	43	50	50	50
Oscillations per minute	nr.	1400	1400	1400/2800	1400	1400	1400/2800
Disc rotation speed	rpm	0-90	0-90	0-90/180	0-90	0-90	0-90/180
Power supply	V/Hz	230/50*	230/50*	230/50*	230/50*	230/50*	230/50*
Tank volume	1	15	15	15	15	15	15
Spray pump power	W	_	32	_	_	32	_
Pressure	bar	-	1,5	-	-	1,5	-
Nr. of spray nozzles	nr.	_	2	_	_	2	_
Motor power	W	1100	1100	1100	1100	1100	1100
Machine weight	Kg	65	65	65	70	70	70
Machine dimensions	mm	495x700x1220	495x700x1220	495x700x1220	565x740x1220	565x740x1220	565x740x1220

^{*}Also available in 120 V - 60 Hz



ORBITAL FLOOR MACHINES TOR 43 EXTRA - TOR 50 EXTRA







RESET switch.

Although weighing 65 Kg (accessories excluded), excellent stability and manoeuvrability are ensured thanks to high frequency oscillations

When working with water, TOR EXTRA ensures considerable savings since the solution is retained within the perimeter of the disc, by the orbital motion.

Furthermore, the particular orbital motion makes the machine very easy to use, reduces training time, and eliminates the need for particular physical strength of the user.

The low current absorption of this machine makes it possible to use together with a vacuum cleaner, with both appliances powered by standard mains power supply.









Scrubbing



Levelling



Smoothing Re-Smoothing



Polishing Re-Polishing



Crystallization

MARBLE



GRANITE





Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad driver Suitable for heavy duty cleaning, maintenance cleaning and carpet cleaning.

Polyethylene with 15

liter capacity, graduated scale and closure cap.
Tool free assembly.



Splash guard with velcro fastening.

Tank










Pad driver for steel wool

Made of embossed rubber for use with steel wool in crystallization operations.





Tynex brush For hard floors, very dirty with sludge.



Traditional abrasive pads For heavy duty cleaning, maintenance and polishing.





PBT washing brush For hard floors.

Microfibre pad

marble.

For hard floors, parquet,

ceramic and polished





Melamine pad To scrub hard, microporous, heavily soiled floors.



TMB Black Resin 00 Ceramic coated resinoid diamond disc Ø 100 mm, pack of 3 pcs.



20" cotton disc Cotton pad ideal for maintenance scrubbing and cleaning on floating floors. Reversible and machine washable.



TMB Red Resin 0 Ceramic coated resinoid diamond disc Ø 100 mm, pack of 3 pcs.



TMB DryPad
Diamond pad available
in 8 different grits.
Suitable for marble,
terrazzo, concrete and
with 6 to 8 grits for dry
work also.



TMB Resin APP 1 Resinoid diamond disc Ø 100 mm, red velcro, pack of 3 pcs.




TMB Resin APP 2 Resinoid diamond disc Ø 100 mm, yellow velcro, pack of 3 pcs.



TMB Resin APP 3 Resinoid diamond disc Ø 100 mm, white velcro, pack of 3 pcs.



TMB Resin APP 4
Resinoid diamond disc
Ø 100 mm, blue velcro,
pack of 3 pcs.



TMB Resin APP 5 Resinoid diamond disc Ø 100 mm, grey velcro, pack of 3 pcs.







Pad driver perforated Nylon, without velcro, for metal diamond TMB insert



TMB AM Gel - Universal antislip polish for marble, granite and ceramic.



TMB Lux Granite Polishing powder for granite-natural stone.



Frankfurt supports for metal diamond TMB insert



TMB GQ GEL polish - anti-slip, for granite, concrete, quartz and natural stone.



TMB LUX MARBLE Polishing powder for marble.



TMB INSERT Metal diamond grit 0 C grey. Pack of 6 pcs.



TMB Gel Lux Marble Polishing Gel for marble.



TMB KRIS Marble Crystallizer for marble.



TMB INSERT Metal diamond grit 1 C red. Pack of 6 pcs.



TMB Gel Lux Granite Polishing Gel for granite-natural stone.



TMB Impregnating Finish Marble-Granite Protective finishing polish.



TMB INSERT Metal diamond grit 2 C black. Pack of 6 pcs.



TMB WRM Water repellent detergent Daily maintenance and final floor set-up.



TMB INSERT Metal diamond grit 0 M yellow, for marble. Pack of 6 pcs.



TMB INSERT Metal diamond grit 2 M black, for marble. Pack of 6 pcs.













CARPET



WARNING

For carpet cleaning, it is recommended to remove the weight

Reduced water consumption and faster carpet drying times, help prevent mold formation.




The fibers are cleaned and regenerated through vibration, and dirt particles are removed even from deep pile carpets.





Pump for Spray version models Uses a suction pipe with filter in the 15 liter solution tank, and two adjustable nozzles.











Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.

Full Velcro pad driver Suitable for heavy duty cleaning, maintenance cleaning and carpet cleaning.








Polyethylene with 15 liter capacity, graduated scale and closure cap. Tool free assembly.









Microfiber-polyester carpet pad. Ideal for scrubbing with the Bonnet system on heavily soiled carpets. Reversible and washable.

20" cotton disc for carpet Cotton pad ideal for maintenance scrubbing. Reversible and machine washable.









Scrubbing



Re-Smoothing



CONCRETE, NATURAL STONE, CERAMICS





Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad driver Suitable for heavy duty cleaning, maintenance cleaning and carpet cleaning.



Tank
Polyethylene with 15
liter capacity, graduated
scale and closure cap.
Tool free assembly.

PBT scrubbing brush

To scrub hard surfaces,

with joints and uneven

surfaces.



Tynex brush To scrub hard, heavily soiled, even uneven surfaces.





(0)





Steel Brush
For hard floors with old layers of sludge even











TMB DryPad
Diamond pad available
in 8 different grits.
Suitable for marble,
terrazzo, concrete and
with 6 to 8 grits for dry
work also.







Brown DSWC special To de-wax all surfaces with water only.



TMB Black Resin 00 Ceramic coated resinoid diamond disc Ø 100 mm, pack of 3 pcs.



TMB AM Gel - Universal, antislip polish for marble, granite and ceramic.



Pad driver for sandpaper.



TMB Red Resin 0 Ceramic coated resinoid diamond disc Ø 100 mm, pack of 3 pcs.



TMB GQ GEL polish - Anti-slip, for granite, concrete, quartz and natural stone.



TMB metal plate Reversible tungsten disc. Available in 10, 14, 24 and 36 grits.



TMB Resin APP 2 Resinoid diamond disc Ø 100 mm, pack of 3 pcs.



TMB Gel Lux Marble Polishing Gel for marble.



Pad driver perforated Nylon, without velcro, for metal diamond TMB



TMB Resin APP 3 Resinoid diamond disc Ø 100 mm, pack of 3 pcs.



TMB Gel Lux Granite Polishing Gel for granite-natural stone.



insert.



TMB Resin APP 4 Resinoid diamond disc Ø 100 mm, pack of 3 pcs.



TMB Lux Lithium Lithium based concrete gloss for high traffic areas.



Frankfurt supports for metal diamond TMB insert.



TMB Resin APP 5 Resinoid diamond disc Ø 100 mm, pack of 3 pcs.



TMB LUX Nano-Lithium





TMB INSERT Metal diamond grit 0 C grey. Pack of 6 pcs.



TMB INSERT Metal diamond grit size 0 C grey, grit 1 C red, grit 2 C black.



TMB LITHIUM Silicates Concrete consolidator with Lithium silicates.



TMB INSERT Metal diamond grit 1 C red. Pack of 6 pcs.



Traditional abrasive pads For heavy duty cleaning, maintenance and polishing.



TMB SP Silicates Concrete consolidator with Sodium and Potassium silicates.



TMB INSERT Metal diamond grit 2 C black. Pack of 6 pcs.



TMB WRM Water repellent detergent Daily maintenance and and final floor set up.



TMB GQ GEL polish - anti-slip, for granite, concrete, quartz and natural stone.



Natural fibre pad For polishing and crystallizing.









Scrubbing



Re-Smoothing



WOOD, PARQUET




PVC, LINOLEUM





Power cord 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



TMB MidPad in 5 different diamond grits: APP1 - APP2 - APP3 - APP4 -APP5. Ideal for scrubbing and polishing. For the daily maintenance of plastic flooring and possible use of APP4 and APP5 grits, with water only or with a detergent. Suitable also for floors protected with metallized waxes.



TMB DryPad Diamond pad available in 8 different grits. Suitable for marble, terrazzo, concrete and with 6 to 8 grits for dry work also.



Polyethylene with 15 liter capacity, graduated scale and closure cap.

Tool free assembly.

Melamine pad

floors.

To scrub hard, microporous, heavily soiled



Natural fibre pad For polishing.



Traditional abrasive For heavy duty cleaning, maintenance and



20" cotton disc Cotton pad ideal for maintenance scrubbing and cleaning on floating floors. Reversible and machine washable.







TOR 43 with vacuum Kit





Pad driver for sandpaper.



3 holder disc ⊘ 150 mm for sandpaper and use with Full velcro. Male and female connection with 6 mm foam.



Sandpaper disc with Zirconium and cotton support, Ø 150 mm. Available in: 36, 60, 80, 100 e 120 grits.



Microfibre pad For hard floors, parquet, ceramic and polished marble.



Brown DSWC special disc, to de-wax all surfaces with water only and dry sanding of the parquet.



Metal Ø 32 mm hose fitting.

Additional weight KIT

for TOR Extra.



Metal Ø 40 mm hose fitting.



Suction kit with vacuum cleaner, dust guard with bristles and metal Ø 32 mm hose fitting.



Dust guard with bristles and metal Ø 40 mm hose fitting.



		ORBITAL FLOOR MACHINES MODELS	
CODE	MODEL – STAN	DARD EQUIPMENT	*Also available 120 V - 60 Hz
108150		TPO 43 Extension cord with EU plug - m 15. 15 liter solution tank. Cushioned pad holder with full velcro on the entire surface, with 6 mm	foam.
108430		TPO 43 Spray Extension cord with EU plug - m 15. 15 liter solution tank. Cushioned pad holder with full velcro on the entire surface, with 6 mm Spray Kit equipped with a pump, adjustable spray nozzle, and convenient	
108820		TFO 43 Accessories available.	
108840		TFO 43 Spray 15 liter solution tank. Spray Kit equipped with a pump, adjustable spray nozzle, and convenie	ent switch on the handle.
109042		TFO 43 DS Accessories available.	
109290		TFO 50 Accessories available.	
109291		TFO 50 Spray 15 liter solution tank. Spray Kit equipped with a pump, adjustable spray nozzle, and convenience.	ent switch on the handle.



		ORBITAL FLOOR MACHINES MODELS	
CODE	MODEL – STAN	IDARD EQUIPMENT	*Also available 120 V - 60 Hz
109292		TFO 50 DS Accessories available.	
107672		TOR 43 EXTRA Accessories available.	
107666		TOR 43 EXTRA Spray 15 liter solution tank. Spray Kit equipped with a pump, adjustable two spray nozzles and convenie	ent switch on the handle.
108758		TOR 43 DS Accessories available. Tank (optional).	
108757		TOR 50 EXTRA Accessories available.	
108931		TOR 50 EXTRA Spray 15 liter solution tank. Spray Kit equipped with a pump, adjustable two spray nozzles and convenie	ent switch on the handle.
108759		TOR 50 DS Accessories available. Tank (optional).	



		ORBITAL FLOOR MACHINES ACCESSORIES
CODE		DESCRIPTION
441250	0	Extension cord with EU plug - 15 m.
441246	(3)	Extension cord with UK plug (alternative choice) - 15 m.
226954	2	TPO and TFO 43 solution tank, standard in Spray Version.
224811	-	TOR solution tank, standard in Spray Version.
445005		17" - Ø 430 mm - Cushioned pad holder with full velcro on the entire surface, with 6 mm foam. For TPO, TFO and TOR.
446690		20" - Ø 500 mm - Cushioned pad holder with full velcro on the entire surface, with 6 mm foam. For TFO and TOR.
442911		17" - Ø 430 mm - Standard pad holder with full velcro on the entire surface, without foam. For TPO, TFO and TOR.
449470		20" - Ø 500 mm - Standard pad holder with full velcro on the entire surface, without foam. For TFO and TOR.
442237		17" - Ø 430 mm - Pad holder for steel wool - With textured rubber surface. For TPO, TFO and TOR.
441613	0	17" - Ø 430 mm - Pad holder for sandpaper. For TFO and TOR.
441119		17" - Ø 430 mm - PBT washing brush. For TOR 43.
448312	40	20" - Ø 505 mm - PBT washing brush. For TOR 50.
444466		17" - Ø 430 mm - Tynex abrasive brush, 120 grit. For TOR 43.
446012		17" - Ø 430 mm - Steel brush. For TOR 43.
445414	0	17" - Ø 430 mm - Nylon brush 0.50 mm for washing. For TPO 43 and TFO 43-
414240		17" - Ø 430 mm - Microfibre pad for scrubbing hard and parquet floors - pack of 5 pcs. For TPO, TFO and TOR.
		20" - Ø 505 mm - Microfibre pad for scrubbing hard and parquet floors - pack of 5 pcs. For TFO and TOR.
444829	0	17" - Ø 430 mm - Melamine disc for scrubbing heavily soiled natural stone and ceramic floors Pack of 4 pcs. For TPO, TFO and TOR.
448794		20" - Ø 505 mm - Melamine disc for scrubbing heavily soiled natural stone and ceramic floors Pack of 4 pcs. For TFO and TOR.





		ORBITAL FLOOR MACHINES ACCESSORIES
CODE		DESCRIPTION
227953	0	NEW Additional/standard 17 Kg weight kit with assembly accessories - TOR 43 and TOR 50.
227953	0	Additional 17 Kg weight kit with assembly accessories - TOR 43 and TOR 50.
225411		17" Vacuum kit including: vacuum cleaner with additional nylon pre-filter, support bracket, dust guard, connection hose Ø 32 mm and Ø 40 mm fitting. For TFO and TOR. *
228924	6	20" Vacuum kit including: vacuum cleaner with additional nylon pre-filter, support bracket, dust guard, connection hose Ø 32 mm and Ø 40 mm fitting. For TFO and TOR. *
226047		Rubber dust guard with bristles Ø 430 mm. For TFO and TOR.
228646		Rubber dust guard with bristles Ø 500 mm. For TFO and TOR.
442986		Splash guard with velcro fastening Ø 430 mm. For TFO and TOR.
449428		Splash guard with velcro fastening Ø 500 mm. For TFO and TOR.
441651		Metal Ø 32 mm hose cuff. For TOR.
445906		Metal Ø 40 mm hose cuff. For TOR.
228922	0	Kit Vacuum coupling Ø 32 mm. For TFO 43 and TFO 50
228923	0	Kit Vacuum coupling Ø 38/40 mm. For TFO 43 and TFO 50
444830		TMB MICROFIBRE PAD 17" - Ø 430 mm - microfibre carpet cleaning disc, with polyester abrasive stripes, reversible - 5 pcs. For TPO, TFO and TOR.
448795		TMB MICROFIBRE PAD 20" - Ø 505 mm - microfibre carpet cleaning disc, with polyester abrasive stripes, reversible - 5 pcs. For TFO and TOR.
445208		TMB COTTON PAD - Ø 500 mm - carpet cleaning and drying cotton disc, with twisted and stitched edge, reversible. For TPO, TFO and TOR.
447000		17" - Ø 430 mm - Natural fibre polishing disc - pack of 5 pcs. For TPO, TFO and TOR.
448789		20" - Ø 505 mm - Natural fibre polishing disc - pack of 5 pcs. For TFO and TOR.
448203		Black abrasive disc 17" - Ø 430 mm, h 22 mm - heavy duty scrubbing of hard floors, pack of 6 pcs. For TPO, TFO and TOR.
448211		Black abrasive disc 20" - Ø 508 mm, h 22 mm - heavy duty scrubbing of hard floors, pack of 6 pcs. For TFO and TOR.



		ORBITAL FLOOR MACHINES ACCESSORIES.
CODE		DESCRIPTION
448204		Brown abrasive disc 17" - Ø 430 mm, h 22 mm - heavy duty scrubbing of hard floors, dry de-waxing and with wax remover on hard floors, pack of 6 pcs. For TPO, TFO and TOR.
448212		Brown abrasive disc 20" - Ø 508 mm, h 22 mm - heavy duty scrubbing of hard floors, dry de-waxing and with wax remover on hard floors, pack of 6 pcs. For TFO and TOR.
448205		Green abrasive disc 17" - Ø 430 mm, h 22 mm - medium scrubbing on unprotected floors, partial dewaxing - pack of 6 pcs. For TPO, TFO and TOR.
448213		Green abrasive disc 20" - Ø 508 mm, h 22 mm - medium scrubbing on unprotected floors, partial dewaxing - pack of 6 pcs. For TFO and TOR.
448206		Blue abrasive disc 17" - Ø 430 mm, h 22 mm - damp maintenance on protected floors, partial and total de-waxing on linoleum - pack of 6 pcs. For TPO, TFO and TOR.
448214		Blue abrasive disc 20" - Ø 508 mm, h 22 mm - damp maintenance on protected floors, partial and total de-waxing on linoleum - pack of 6 pcs. For TFO and TOR.
448207		Red abrasive disc 17" - Ø 430 mm, h 22 mm - spray cleaning maintenance on protected floors - pack of 6 pcs. For TPO, TFO and TOR.
448215		Red abrasive disc 20" - Ø 508 mm, h 22 mm - spray cleaning maintenance on protected floors - pack of 6 pcs. For TFO and TOR.
448208		White abrasive disc 17" - Ø 430 mm, h 22 mm - dry polishing - pack of 6 pcs. For TPO, TFO and TOR.
448216		White abrasive disc 20" - Ø 508 mm, h 22 mm - dry polishing - pack of 6 pcs. For TFO and TOR.
448209		Beige abrasive disc 17" - Ø 430 mm, h 22 mm - dry polishing waxes, parquet and light spray cleaning - pack of 6 pcs. For TPO, TFO and TOR.
448217	The state of the s	Beige abrasive disc 20" - Ø 508 mm, h 22 mm - dry polishing waxes, parquet and light spray cleaning - pack of 6 pcs. For TFO and TOR.
448210		Brown DSWC special disc 17" - Ø 430 mm, h 9 mm - to de-wax all surfaces with water only and dry sanding of parquet - pack of 14 pcs. For TPO, TFO and TOR.
448218		Brown DSWC special disc 20" - Ø 508 mm, h 9 mm - to de-wax all surfaces with water only and dry sanding of parquet - pack of 14 pcs. For TFO and TOR.
446006		TMB MidPad yellow APP 1-17" - Diamond pad 17" - Ø 430 mm, h 10 mm - marble, PVC, resin. For TFO and TOR.
448692	100	TMB MidPad yellow APP 1-20" - Diamond pad 17" - Ø 505 mm, h 10 mm - marble, PVC, resin. For TFO and TOR.
446007		TMB MidPad brown APP 2-17" - Diamond pad 17" - Ø 430 mm, h 10 mm - marble, PVC, resin. For TFO and TOR.
448693		TMB MidPad brown APP 2-20" - Diamond pad 20" - Ø 505 mm, h 10 mm - marble, PVC, resin. For TFO and TOR.
446008		TMB MidPad amaranth APP 3-17" - Diamond pad 17" - Ø 430 mm, h 10 mm - marble, PVC, resin. For TFO and TOR.
448694		TMB MidPad amaranth APP 3-20" - Diamond pad 20" - Ø 505 mm, h 10 mm - marble, PVC, resin. For TFO and TOR.
446009		TMB MidPad green APP 4-17" - Diamond pad 17" - Ø 430 mm, h 10 mm - marble, PVC, resin. For TFO and TOR.
448695		TMB MidPad green APP 4-20" - Diamond pad 20" - Ø 505 mm, h 10 mm - marble, PVC, resin. For TFO and TOR.
448698		TMB MidPad grey APP 5-17" - Diamond pad 17" - Ø 430 mm, h 10 mm - marble, PVC, resin. For TFO and TOR.
448696		TMB MidPad grey APP 5-20" - Diamond pad 20" - Ø 505 mm, h 10 mm - marble, PVC, resin. For TFO and TOR.
448270		TMB DRYPAD APP 1-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete. For TFO and TOR.
448684		TMB DRYPAD APP 1-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete. For TFO and TOR.



	ORBITAL FLOOR MACHINES ACCESSORIES.
CODE	DESCRIPTION
448271	TMB DRYPAD APP 2-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete. For TFO and TOR.
448685	TMB DRYPAD APP 2-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete. For TFO and TOR.
448272	TMB DRYPAD APP 3-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete. For TFO and TOR.
448686	TMB DRYPAD APP 3-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete. For TFO and TOR.
448273	TMB DRYPAD APP 4-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete. For TFO and TOR.
448687	TMB DRYPAD APP 4-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete. For TFO and TOR.
448274	TMB DRYPAD APP 5-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete. For TFO and TOR.
448688	TMB DRYPAD APP 5-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete. For TFO and TOR.
448275	TMB DRYPAD APP 6-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete grits 6-7-8 can be used dry on concrete. For TFO and TOR.
448689	TMB DRYPAD APP 6-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete grits 6-7-8 can be used dry on concrete. For TFO and TOR.
448276	TMB DRYPAD APP 7-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete grits 6-7-8 can be used dry on concrete. For TFO and TOR.
448690	TMB DRYPAD APP 7-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete grits 6-7-8 can be used dry on concrete. For TFO and TOR.
448277	TMB DRYPAD APP 8-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete grits 6-7-8 can be used dry on concrete. For TFO and TOR.
448691	TMB DRYPAD APP 8-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete grits 6-7-8 can be used dry on concrete. For TFO and TOR.
445231	TMB RESIN 00 Black - Ceramic coated diamond disc Ø 100 mm - pack of 3 pcs. For TFO and TOR.
445232	TMB RESIN 0 Red - Ceramic coated diamond disc Ø 100 mm - pack of 3 pcs. For TFO and TOR.
445736	TMB RESIN APP. 1 Diamond disc for marble and granite Ø 100 mm with red velcro - 3 pcs. For TFO and TOR.
445737	TMB RESIN APP. 2 Diamond disc for marble and granite Ø 100 mm with yellow velcro - 3 pcs. For TFO and TOR.
445738	TMB RESIN APP. 3 Diamond disc for marble and granite Ø 100 mm with white velcro - 3 pcs. For TFO and TOR.
445739	TMB RESIN APP. 4 Diamond disc for marble and granite Ø 100 mm with blue velcro - 3 pcs. For TFO and TOR.



		ORBITAL FLOOR MACHINES ACCESSORIES
CODE		DESCRIPTION
445741		TMB RESIN APP. 5 Diamond disc for marble and granite Ø 100 mm with grey velcro - 3 pcs. For TFO and TOR.
449426		Holder disc Ø 150 mm for sandpaper and use with Full velcro. Male and female connection with 6 mm foam - pack of 3 pcs. For TFO and TOR. Use n. 3 disc for TFO and TOR 43 and 4 disc for TFO and TOR 50.
449472	(2)	Sandpaper disc with Zirconium and cotton support, Ø 150 mm, grit 36 - pack of 3 pcs. For TFO and TOR. Use n. 3 disc for TFO and TOR 43 and 4 disc for TFO and TOR 50.
449473		Sandpaper disc with Zirconium and cotton support, Ø 150 mm, grit 60 - pack of 3 pcs. For TFO and TOR. Use n. 3 disc for TFO and TOR 43 and 4 disc for TFO and TOR 50.
449474		Sandpaper disc with Zirconium and cotton support, Ø 150 mm, grit 80 - pack of 3 pcs. For TFO and TOR. Use n. 3 disc for TFO and TOR 43 and 4 disc for TFO and TOR 50.
449475		Sandpaper disc with Zirconium and cotton support, Ø 150 mm, grit 100 - pack of 3 pcs. For TFO and TOR. Use n. 3 disc for TFO and TOR 43 and 4 disc for TFO and TOR 50.
449476		Sandpaper disc with Zirconium and cotton support, Ø 150 mm, grit 120 - pack of 3 pcs. For TFO and TOR. Use n. 3 disc for TFO and TOR 43 and 4 disc for TFO and TOR 50.
443330		TOR 43 perforated nylon pad holder, without velcro, for metal diamond TMB INSERT.
444856		Frankfurt supports for metal diamond TMB insert (on pad holder 443330). For TOR 43.
444851		Metal diamond TMB INSERT, grit 0 C grey for concrete and granite - pack of 6 pcs. For TOR 43.
444852		Metal diamond TMB INSERT, grit 1 C red for concrete and granite - pack of 6 pcs. For TOR 43.
444853	1	Metal diamond TMB INSERT, grit 2 C black for concrete and granite - pack of 6 pcs. For TOR 43.
444854		Metal diamond TMB INSERT, grit 0 M yellow for marble - pack of 6 pcs. For TOR 43.



	ORBITAL FLOOR MACHINES ACCESSORIES				
CODE		DESCRIPTION			
444855		Metal diamond TMB INSERT, grit 2 M black for marble - pack of 6 pcs. For TOR 43.			
443384		TMB METAL PLATE Reversible tungsten discs - Grit 10 - Ø 400 mm. For TOR 43.			
443385	*	TMB METAL PLATE Reversible tungsten discs - Grit 14 - Ø 400 mm. For TOR 43.			
443386		TMB METAL PLATE Reversible tungsten discs - Grit 24 - Ø 400 mm. For TOR 43.			
443387		TMB METAL PLATE - Reversible tungsten discs - Grit 36 - Ø 400 mm. For TOR 43.			



ORBITAL FLOOR MACHINES CHEMICALS		
444850	Sal.	TMB AM Gel - Universal anti-slip polish for marble, granite and ceramic. 12 pcs. of 1 Kg.
444849	IMa co	TMB GQ GEL polish - anti-slip for granite, concrete, quartz and natural stone. 12 pcs. of 1 Kg.
448378		TMB SP Silicates Concrete consolidator with sodium and potassium silicates. 5 Lt can.
448379		TMB Lithium SILICATE Concrete consolidator with lithium silicates. 5 Lt can.
448380		TMB LUX Nano-Lithium UV High-gloss super resistant lithium based concrete finish. 5 Lt can.
448381		TMB Lux Lithium Lithium based concrete finishing gloss for high traffic areas. 5 Lt can.
448382		TMB LUX MARBLE Extra Polishing powder for marble. 5 Kg can.
448383		TMB Gel Lux Marble Polishing Gel for marble. 1 Kg can.
448384		TMB impregnating Finish Marble-Granite Penetrating finishing polish. 1 Lt can.
448386		TMB KRIS Marble Crystallizer for marble. 1 Kg can.
448387		TMB Lux Granite Polishing powder for granite-natural stone. 5 Kg can.
448388		TMB Gel Lux Granite Polishing Gel for granite-natural stone. 1 Kg can.
448813	(1) (1) (2) (1)	TMB WRM Water repellent detergent Daily maintenance and final floor set-up. 1 Kg can.







